

Categories of Prohibited Substances

Category 1

Substances that have the ability to negatively impact the performance of a greyhound.

Category 2

All permanently banned substances as listed in the fifth schedule.

Category 3

All forms of steroids.

Category 4

All other substances that have the ability to improve or impact the performance of a greyhound, and which have not been included in Categories 1,2,3 and 5.

Category 5

All substances that are registered in New Zealand for Veterinary use and have accepted therapeutic benefits to a greyhound.

STARTING POINTS

| Category 1 | Category 2 | Category 3 | Category 4 | Category 5 |
|------------------|------------------|-------------------------------|------------------------------------|---------------------------------|
| Disqualification | Disqualification | Disqualification | Disqualification | Disqualification |
| 10 Years | 5 Years | 1 Year and/or Fine \$6,000 | 6 months and/or fine \$5,000 | 3 months and/or Fine \$4,000 |

Examples of Categories of Prohibited Substances

(including but not limited to the following examples)

| Category 1 | Category 2 | Category 3 | Category 4 | Category 5 | |
|--|--|---|--|---|---|
| B-blockers such as atenolol, timolol, sotalol, labetalol | Erythropoiesis stimulating hormones such as epoetin (alpha, beta, delta and omega) Novel erythropoietin | Anabolic androgenic steroids (AAS) such as testosterone, nandrolone, boldenone, methandriol, stanozolol, ethylestrenol, | Other drugs or substances capable of affecting a greyhound's performance not included in categories 1,2,3 or 5 such as Ephedrine | Local anaesthetics such as lignocaine, prilocaine, procaine (from procaine penicillin), mepivacaine | Anti-inflammatory drugs such as carprofen, deracoxib, diclofenac, DMSO, firocoxib, flunixin, ibuprofen, indomethacin, |

| | | | | | |
|---|--|-----------------|---|--|--|
| Alpha-2-adrenoceptor agonists such as xylazine, detomidine, medetomidine, dexmedetomidine, tiletamine | stimulating protein (NESP, darbepoietin alfa) Continuous erythropoietin receptor activator (CERA) | norethandrolone | Pseudoephedrine Caffeine Heptaminol | Drugs capable of stimulating the central nervous system such as atipamezole, naloxone, yohimbine, tolazoline | ketoprofen, mavacoxib, meloxicam, naproxen, phenylbutazone, salicylates (aspirin) Tolfenamic acid |
| Benzodiazapines such as diazepam (valium), carbamazepine, clobazam, clonazepam, zolazepam, alprazolam | Gonadotropins such as luteinising hormone (LH), follicle stimulating hormone (FSH), human chorionic gonadotropin (hCG) | | | Drugs acting on the cardiovascular system including pimobendan, isoxsuprine, propentofylline (vivitonin) | Corticosteroids such as prednisone, prednisolone, methylprednisolone, hydrocortisone, dexamethasone |
| Barbiturates such as phenobarbitone, pentobarbitone, thiobarbitone | | | | ACE Inhibitors including benazepril, enalapril, cilazapril Calcium Channel Blockers including diltiazem, felodipine | Drugs whose side effects may affect the cardiovascular system including Atropine, Hyoscine, Clenbuterol, Pilocarpine |
| Opiates and Opioids such as morphine, codeine, butorphanol, buprenorphine, fentanyl, tramadol, 17-Methylmorphinan | Gonadotropin releasing hormone (GnRH, gonadorelin) | | | | |
| Phenothiazine derivatives such as acetylpromazine, chlorpromazine | Corticotropins such as ACTH and tetracosactide | | | | |
| Antidepressants such as tricyclic antidepressants (e.g. amitriptyline, imipramine, clomipramine), Selective Serotonin Reuptake Inhibitors (e.g. | Heroin, Cocaine, LSD, Cannabinoids | | | | |

| | | | | | |
|--|--|--|--|--|--|
| citalopram, fluoxetine) | | | | | |
| Other drugs acting on the central nervous system such as ketamine, phenytoin, azaperone, reserpine | Ampetamines (amphetamine, methylnpheta mine, MDA, MDMA | | | | |